商業、工業及 家居用石油氣

COMMERICAL, INDUSTRIAL & DOMESTIC LPG



Mobil LP-Gas



迅昇石油化工有限公司 SPEED VAST OIL & CHEMICALS LTD

我們是埃克森美孚香港有限公司瓶裝石油氣特許分銷商亦是政府認可之註冊氣體工程承辦商,編號587-02。 迅昇經營石油氣及相關石油產品已超過20多年,經驗豐富,安全可靠。我們擁有20輛以上的強大車隊,部分貨車更附設升降尾板,服務快捷。

一向秉承顧客至上,安全第一的宗旨, 服務衆社群,信譽超著。

迅昇的願景是成為行業內及客戶心目中 的首選供應商及最佳合作夥伴。

Speed Vast Oil & Chemicals Limited is a Liquefied Petroleum Gas (LPG) cylinder franchised distributor of ExxonMobil Hong Kong Limited as well as a registered gas contractor (registered no.: 587-02) in Hong Kong. For over 20 years, we have been offering LPG and other petrochemical products with safe and reliable services to clients in Hong Kong. Our fleet has more than 20 trucks and some of them are equipped with tail lifts to guarantee the greatest efficiency and safe operation. We have a wellestablished reputation for putting clients' satisfaction and safety of our staff, contractors, clients and the public first.

Our vision is to be the best partner and supplier in the industry and to our clients.

我們的服務 OUR SERVICES

迅昇售賣各類石油產品,包括瓶裝石油 氣、石油氣爐具、柴油和火水等。我們 亦售賣不同品牌及型號的工、商及家居 用石油氣爐具,迎合各類客戶的需要。

服務種類

- · 商業 、工業及家居用石油氣系統設計
- ・ 商業 、工業及家居用石油氣系統建造
- ・ 商業 、工業及家居用石油氣設備維修 保養
- · 管道式中央石油氣系統操作
- · 石油氣系統安全檢查
- ・ 瓶裝石油氣運送

Speed Vast offers a wide range of petrochemical products including LPG cylinders, LPG appliances, diesel and kerosene, etc. We also provide different LPG appliance brands and models for commercial, industrial, and domestic use to meet the needs of our varied clients.

Services

- LPG system design for commercial, industrial, and domestic purpose
- LPG system construction for commercial, industrial, and domestic purpose
- Maintenance and repair of LPG appliance for commercial, industrial, and domestic purpose
- Operation of piped central LPG supply system
- Safety check for LPG supply system
- LPG cylinder delivery



總辦事處、分店及分銷商地址



- 新事處及分店位置 Head office & branches' locations
- 分銷位置 Distributors' locations

總辦事處 Head office

葵涌梨木道79號亞洲貿易中心32樓3201室 3201, 32/F Asia Trade Centre, 79 Lei Muk Road, Kwai Chung, N.T., Hong Kong tel. 2109 9946 / 3952 3827 fax. 24711800

粉嶺 Fanling

粉嶺聯和墟聯安街29號地下 G/F, 29 Luen On Street, Luen Wo Market, Fanling tel. 2676 2263 / 2676 0773

葵涌 Kwai Chung

·葵涌石蔭路11號A地下 G/F, 11A Shek Yam Road, Kwai Chung tel. 2422 9135 / 2420 0838

大圍 Tai Wai

大圍大圍村一街1E地下 G/F, 1E First Street, Tai Wai Village, Tai Wai tel. 2980 3330 / 2617 7277

大埔 Tai Po

大埔瑞安街4號地下 G/F, 4 Shui On Street, Tai Po tel. 2656 2164 / 2656 2366

土瓜灣 To Kwa Wan

土瓜灣銀漢街19號銀漢大廈I2地舖 Shop I2, Ngan Hon Mansion, 19 Ngan Hon Street, To Kwa Wan tel. 2668 3602 / 2668 6602

為何選擇我們?

迅昇石油化工有限公司 有何獨特之處?

三大核心價值:

安全 - 我們的目標是提供高安全標準的 石油氣供應方案。我們對氣體管道和 氣瓶設施進行嚴格的測試. 確保客戶能 安心使用我們的產品。

服務 - 我們為客戶提供優質的體驗. 實踐高水平之服務承諾。我們的團隊 經過專業培訓, 能夠為客戶提供理想 的石油氣供應方案,符合最高的安全 標準及營運效益。


高效益 - 作為埃克森美孚之特許分銷商. 我們提供高效能及富競爭力之石油氣. 為客戶節省能源開支、提高使用率及 營運效益。

迅昇提供其麽服務?

迅昇石油化工有限公司謹守顧客為本的 我們為商業、工業及家居客戶提供優質 服務體驗。我們的服務包括產品銷售、 設備檢查及安裝和定期安全檢查。我們 迅速處理客戶垂詢,產品送遞快捷妥當, 並為中央供氣系統提供24小時緊急 服務。

迅昇提供的產品有何優點?

作為埃克森美孚的特許分銷商, 我們提供 高效能及富競爭力的石油氣價格. 為客戶 節省能源開支,並提高使用率及營運



為何選擇迅昇?

迅昇提供的石油氣產品由埃克森美孚 石油氣煮食爐能提供較穩定的熱力作煮 供應。作為全球主要石油公司之一. 埃克森美孚按照嚴謹的制度,確保產品 煮食爐能迅速將菜加熱,但部份非明火 質素符合要求及供應穩定。而作為 埃克森美孚香港有限公司在香港僅有 根據香港機電工程署資料顯示,石油氣 的兩間特許分銷商之一. 迅昇為商業、 工業及家居客戶提供優質的服務,設計 能提供約116兆焦耳,而每立方米的 最 合 適 的 石 油 氣 供 應 方 案 並 提 供 煤氣則只能提供約17.27兆焦耳。即同等 完善的設備檢查、維修及保養.讓數量的石油氣比煤氣能提供約六倍以上 客戶能安全地使用石油氣及提高效益。

為何應選用石油氣煮食爐?

食用途。例如將蔬菜放進鑊後, 石油氣 煮食爐則需要較長時間才能加熱。

比煤氣更具效益, 每立方米的石油氣 的熱值。

我有興趣使用迅昇的產品, 可以怎辦?

歡迎致電或親臨我們任何一間店舖. 我們的員工將細心講解各項服務及 服務體驗。

為何應選用石油氣熱水爐?

石油氣熱水爐能迅速提供熱水作淋浴 用途。與電熱水爐(市面一般稱為 「即熱式熱水爐」) 比較, 一般單相 熱水爐的出水量約是石油氣熱水爐的 產品,以滿足客戶要求並提供最優質的 一半,而三相熱水爐的用電量普遍相當 於多部兩匹變頻式冷氣機. 可見石油氣 熱水爐在效能及節省開支方面都更勝 一籌。

WHY US?

What differentiates Speed Vast from others?

Speed Vast Oil & Chemicals Limited is customer-centric and we uphold our three core values, including:

Safety - Our goal is to provide high safety standards LPG solutions to our clients and give them peace of mind with the stringent testing of our gas pipes and cylinders so that they can use our LPG products safely.

Quality Service - We offer premium experience to our clients and live up to our commitment to provide high level of service. Our teams are professionally trained to design perfect LPG solutions for our clients that meet the highest safety standards and ensure maximum operational efficiency.

High Effectiveness - As a franchised distributor of ExxonMobil, we offer efficient and competitively priced LPG to help our clients cut down energy bills while increasing usage and operational efficiency.

What kinds of service does Speed Vast provide?

We offer quality experience to our commercial, industrial and domestic clients. Our services include product sales, facility inspection and installation as well as regular safety checkup. We handle all customer enquiries promptly and offer speedy product delivery together with 24-hour emergency sevice to Piped-In-Gas System.

What are the benefits of using products provided by Speed Vast?

As a franchised distributor of ExxonMobil, we offer efficient and competitively priced LPG to help our clients cut down energy expenses while increasing usage and operational effectiveness.

Why Speed Vast?

Speed Vast offers LPG products provided by ExxonMobil. Being one of the major petroleum companies in the world, ExxonMobil applies strict systems to ensure product quality meeting all necessary requirements and a steady supply of products. As one of the only two Hong Kong franchised distributors of ExxonMobil Hong Kong, Speed Vast offers quality service to commercial, industrial and domestic clients with the most suitable LPG solutions as well as complete facility inspection, repair and maintenance to ensure safety and enhance effectiveness for our clients.

Why should I use LPG cooking stove?

LPG cooking stove offers more stable supply of heat. For example, LPG cooking stove can heat up vegetables quickly once they are put into the wok, whereas some non-flame cooking stoves will need more time to heat up the ingredients.

According to the information from the Electrical and Mechanical Services Department of the Hong Kong SAR government, the calorific value of LPG is about 116 MJ/m3 while the calorific value of town gas is about 17.27 MJ/m3, which means LPG is of higher effectiveness that its calorific value is 6 times higher than that of town gas

I am interested in your products. How should I find out more?

Please call or visit any of our shops and let our staff introduce to you our wide array of services and products. Please rest assured that your needs will be taken care of and a blissful experience with superlative service is guaranteed.


Why should I use LPG water heater?

LPG water heater can rapidly provide hot water for shower. Comparing with electric water heater (commonly known as 'instantaneous water heater'), LPG water heater performs better in terms of both efficiency and expenses cutting. In general, the water output of single-phase electric water heater is only about half of that of LPG water heater, and the electricity consumption of 3-phase electric water heater amounts to the sum of several 2 HP inverter air conditioners.

家用石油氣 LPG for Domestic Use

石油氣是清潔及高效率的能源,能提供燃料到石油氣 煮食爐或熱水爐,迅速地提供熱能作煮食用途或 將水加熱。此外,石油氣亦可用於燒烤爐、戶外暖 燈、蚊子誘捕器和中央暖氣系統等,用途廣泛。

LPG is a clean and efficient energy to fuel LPG cooking appliances or water heaters swiftly for cooking purpose or to heat up water. Moreover, LPG can also be widely used in barbeque grills, outdoor heaters, mosquito magnets and central heating systems, etc.











家居用石油氣 LPG for Domestic Use

產品 PRODUCTS

















8 KG ESSO 10.5 KG ESSO 12 KG ESSO 16 KG ESSO 10.5 KG Mobil 16 KG Mobil

商業及工業用石油氣 LPG for Commercial &

Industrial Use

石油氣為飲食、金屬物料處理、陶瓷、熔爐、紡織、造紙、洗衣、農場及道路維修等行業提供高效率的能源及熱能供應。此外石油氣亦可為叉式剷車提供燃料,或用於較小戶數的管道式中央石油氣屋苑。

LPG provides efficient energy and heat supply for various industries including catering, metallic material handling, ceramic, furnace, textile, papermaking, laundry, farm and road maintenance, etc. LPG can also provide fuel for forklift trucks or be used to fuel Piped-In-Gas LPG systems for housing estates with less households.



工商用石油氣 LPG for Commercial & Industrial Use

產品 / Esso 標準 **PRODUCTS**





Esso







16 KG 22 KG Esso

50 KG Esso (Liquid Draw)

50 KG Esso (Vapour Draw)

工商用石油氣 LPG for Commercial & Industrial Use

Mobil LP-Gas

產品 / Mobil 美孚 PRODUCTS














10.5 KG Mobil 16 KG Mobil 21 KG Mobil 15 KG Mobil (Forklift) 50 KG Mobil (Liquid Draw) 50 KG Mobil (Vapour Draw)

石油氣用戶安全須知 LPG Safety Tips



存放及處理石油氣瓶 Storage and handling of LPG cylinders



使用石油氣 When using LPG



更換石油氣瓶的安全指引 Safety guidelines for exchanging LPG cylinders



氣體洩漏 Handling gas leaks



如何處理用畢式棄置石油氣瓶 Handling of used LPG cylinders 香港使用的石油氣是丁烷氣和丙烷氣的混合物,並無毒性,比空氣重,會在地面積聚。石油氣經壓縮後以液態存放在石油氣缸或方便運送的石油氣瓶內,供多種用途。

除非有根據氣體安全條例給予的特定許可,否則在任何時間儲存總標稱容水量超過130公升(約是標稱重量50公斤)的石油氣(包括空瓶),均屬違法。



存放及處理石油氣瓶時,應:

- ・ 小心處理, 以免損壞。
- · 將氣瓶垂直放置在通風良好和容易到達的地方。
- · 遠離熱源及火源, 更換氣瓶時這點尤為重要。
- · 不可在地面以下地方、排水渠附近或地庫內使用或存放瓶裝石油氣。



使用石油氣時:

- · 檢查氣瓶及調壓器是否有損壞或漏氣。
- ・ 只可使用由有關的氣體供應公司所提供的調壓器, 並要保護調壓器 免受損壞。
- · 應在到期前通知氣體供應公司或註冊氣體工程承辦商安排更換。
- · 使用後須將調壓器開關制關閉。若有一段長時間不會使用,應將 調壓器拆除。
- · 經常檢查膠喉接駁位有否鬆脫、損壞或漏氣。若發現有任何毛病 或膠喉到期,應立刻通知註冊氣體工程承辦商,安排檢查及更換膠喉。
- · 氣體用具必須遠離易燃物品。
- · 不應在無人經常看守下燃點氣體用具。



更換石油氣瓶的 安全指引

- 1. 熄滅附近所有火種,不可吸煙。
- 2. 關掉氣體用具。
- 3. 關掉並拆除調壓器, 然後更換用罄的石油氣瓶。
- 4. 小心地將調壓器穩固接駁,然後檢查氣瓶接駁位有否出現漏氣現象,例如是石油氣的氣味或漏氣的聲音。
- 5. 開啟調壓器, 然後檢查氣體爐具是否正常操作。



氣體洩漏

如發現或懷疑有氣體洩漏, 在確定自身安全的情況下,

必須馬上採取以下行動:

- 1. 弄熄所有明火。
- 2. 切勿使用電話或開關任何電掣及電器。
- 3. 盡量打開所有門窗、讓氣體消散。
- 4. 切勿觸摸氣體用具,以免不小心啟動點火開關掣。
- 5. 關掉調壓器開關掣以截斷氣體供應。如情況許可,應將調壓器拔離石油氣瓶。
- 6. 如漏氣情況嚴重或不肯定有關情況時,應立刻離開有關單位,並通知鄰居疏散,但不要按任何門鈴。利用樓梯離開建築物,撥999通知消防處及致電氣體供應公司,通知緊急服務人員到場處理。
- 7. 在未採取一切必要步驟以防氣體再度洩漏之前, 切勿重新接駁石油氣瓶。
- 8. 所有室內氣體裝置包括石油氣瓶及爐具,必須由氣體供應公司檢查,以確定安全後才可再次使用。



如何處理用畢式棄置

石油氣使用完畢後,應盡快交回石油氣分銷商,不應擺放在公眾地方。 如發現棄置或無人看管的石油氣瓶,應致電24小時緊急熱線,通知 有關的註冊氣體供應公司收回。

The LPG used in Hong Kong is a mixture of butane and propane. It is non-toxic, heavier than air and tends to accumulate on the ground level. Pressurized LPG is stored in liquid form in storage tanks or convenient

According to the Gas Safety Ordinance, unless permitted, it is illegal to store LPG cylinders (including empty cylinders) with a total nominal water capacity of over 130 litres (about 50kg) at any time.

Storage and handling of LPG cylinders

· Handle with care to avoid damage.

cylinders for various purposes.

- Store LPG cylinders upright in well-ventilated and easily accessible locations.
- Keep LPG cylinders away from heatand flames, which is particularly important when exchanging LPG cylinders.
- Do not use or store LPG cylinders below ground level, adjacent to drainage or in basements.



When using LPG:

- Check the cylinders and the pressure regulator for damage or leak.
- Use the pressure regulator provided by the respective gas supply company and protect it from damage. Arrange for a gas supply company or a registered gas contractor to replace the pressure regulator before it expires.
- Switch off the pressure regulator after use. Remove the pressure regulator if the LPG cylinder will not be used for a long period of time.
- Check the flexible gas tubing and the connection joint regularly for damage, leak or loose connection. If any issue is spotted or the service life of the tubing is due, call a registered gas contractor for inspection and replacement.
- Gas appliances should be kept away from flammable materials.
 Gas appliances should not be switched on when unattended.



Safety guidelines for exchanging LPG cylinders

- 1. Extinguish all nearby flames and do not smoke.
- 2. Switch off the gas appliances.
- 3. Switch off and remove the pressure regulator and exchange the used LPG cylinders.
- 4. After carefully and firmly reconnecting the pressure regulator, check to confirm that there is no smell or sound of gas leaking from the cylinder connection.
- 5. Switch on the pressure regulator and check the gas appliances for proper operation.



Handling gas leaks

If a gas leak is detected, ensure your own safety first and take the following actions immediately:

- 1. Extinguish all naked flames.
- 2. Do not use the telephone or operate any electrical switches and appliances.
- 3. Open all windows and doors wide to disperse the gas.
- 4. Do not touch any gas appliances.
- 5. Switch off the pressure regulator to cut off the gas supply. If possible, disconnect the regulator of the LPG cylinder.
- 6. Leave the premises at once and inform your neighbors by knocking on their doors (do not press any doorbells) for immediate evacuation when the gas leak is serious or when the situation is uncertain, leave the building by the stairs, dial 999 to notify the Fire Services Department and call your gas supply company to handle the gas leak.
- 7. Do not reconnect the LPG cylinder before taking all necessary steps to prevent gas from leaking again.
- 8. Let your gas supply company check all your gas installations including LPG cylinders and gas appliances before using again.



Return the used LPG cylinders to the gas distributor as soon as possible. Do not place them in public areas.

If discarded or unattended LPG cylinders are found, please call the 24-hour hotline of the related registered gas supply company to collect.



24 小時緊急熱線及查詢:

24-hour emergency hotline and enquiry

標準 Esso 2435 4511 / 3197 8682 美孚 Mobil 2495 3518 / 3197 8682





